Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Currently Amended) A method of purifying impure water contaminated with a filterable impurity and a dissolved impurity, the method comprising the steps of:

providing <u>the impure</u> water to a primary microfiltration or ultrafiltration unit to remove the filterable impurity and produce impure filtered water contaminated with <u>a the</u> dissolved impurity;

providing the impure filtered water contaminated with a the dissolved impurity to a reverse osmosis unit to produce a potable water stream and a residual reverse osmosis stream; and

treating filtering the residual reverse osmosis stream by passing the stream through a secondary filter to produce a treated residual reverse osmosis stream filtrate; and

backwashing the primary microfiltration or ultrafiltration unit with the treated residual reverse osmosis streamfiltrate.

- 2. (Previously presented) The method according to claim 1 wherein the secondary filter is a microfiltration or ultrafiltration membrane.
- 3. (Previously presented) The method according to claim 2 wherein the secondary filter is backwashed.
- 4. (Previously presented) The method according to claim 1 wherein the secondary filter is a cartridge filter.
- 5. (Previously presented) The method according to claim 4 wherein the secondary filter is backwashed.

6. (Previously presented) The method according to claim 1 wherein the impure water is sea water.

- 7. (Previously presented) The method according to claim 1 wherein the filterable impurity includes those typically found in sea water.
 - 8. Cancelled.
 - 9. Cancelled.
- 10. (Previously presented) The method according to claim 1 wherein the dissolved impurity includes sodium ions and chloride ions.
- 11. (Currently Amended) The method according to claim 1 further comprising treating the residual reverse osmosis stream prior to being reused backwashing by one or more of a chemical treatment, a radiation treatment or a physical treatment.
- 12. (Currently Amended) The method according claim 11 wherein the chemical treatment is selected from the group consisting of chlorination, fluorination, disinfection, scale control treatment, water softening, peroxide, sulfite/bisulfite, ozone or mixtures and combinations thereof.
- 13. (Currently Amended) The method according to claim 11 wherein the radiation treatment is selected from the group consisting of UV, IR, microwave or mixtures and combinations thereof.
- 14. (Currently Amended) The method according to claim 11 wherein the physical treatment is <u>selected from the group consisting of ultrasonication</u>, [[or]] vortexing, and combinations thereof.
 - 15. (Currently Amended) The method according to claim 11 wherein the reverse

osmosis stream is treated by treatment is selected from the group consisting of heat, electroprecipitation, magnetic treatment[[s]] [[or]] and combination thereof.

- 16. (Previously presented) The method according to claim 1 further comprising subjecting the residual reverse osmosis stream to ultrafiltration or microfiltration by a secondary ultrafiltration or microfiltration unit prior to the step of backwashing.
- 17. (Previously presented) The method according to claim 1 wherein the step of treating comprises filtering using multiple stages of filtration.
- 18. (Previously presented) The method according to claim 17 wherein the step of treating comprises filtering through a coarse filter prior to filtering through a membrane filter.
- 19. (Currently Amended) The method according to claim 18 wherein the residual reverse osmosis stream is in controllable fluid communication with <u>a</u> coarse backwashable filter[[s]] such as selected from the group consisting of a single or multimedia filter[[s]], <u>a</u> disc filter[[s]], <u>a</u> diatomaceous earth filter[[s]], <u>a</u> membrane filter[[s]], <u>a</u> strainer[[s]], <u>or</u> <u>a</u> screen[[s]] and combinations thereof.
- 20. (Currently Amended) A method of facilitating the purification of impure water, the method comprising the steps of:

providing a primary microfiltration or ultrafiltration unit;

providing a reverse osmosis unit in downstream fluid communication from said primary microfiltration or ultrafiltration unit;

providing a secondary microfiltration or ultrafiltration unit to produce a filtered residual reverse osmosis stream filtrate; and

providing a controllable fluid pathway for directing the filtered residual reverse osmosis feed filtrate to backwash said primary microfiltration or ultrafiltration unit.

21. (Currently Amended) The method according to claim 20 wherein the filtered residual reverse osmosis feed filtrate has a suspended solids content of less than a predetermined

Serial No.: 10/599,350 - 5 - Art Unit: 1797

quantity.

- 22. (Currently Amended) The method according to claim 21 wherein the filtered residual reverse osmosis feed filtrate has a suspended solids content sufficient to allow it to be returned to the impure water source.
- 23. (Currently Amended) The method according to claim 22 wherein the residual reverse osmosis feed filtrate used to backwash the filter has a suspended solids content sufficient to allow it to be returned to the ocean.
 - 24. Cancelled.
- 25. (Currently Amended) A system for purifying impure water contaminated with a filterable impurity and a dissolved impurity comprising:
 - a primary microfiltration or ultrafiltration unit to remove the filterable impurity;
- a reverse osmosis unit to produce a potable water stream and a residual reverse osmosis stream, said reverse osmosis unit in downstream fluid communication from said primary microfiltration or ultrafiltration unit;
- a controllable fluid pathway to transfer a stream of impure filtered water contaminated with a dissolved impurity from the primary microfiltration or ultrafiltration unit to the reverse osmosis unit;

means for treating the residual reverse osmosis stream to produce a treated residual reverse osmosis-stream; and

a controllable fluid pathway directing the treated residual reverse osmosis stream to backwash the primary microfiltration or ultrafiltration unit.

- 26. Cancelled.
- 27. (Previously presented) The system according to claim 25 further comprising a controllable fluid pathway directing the residual reverse osmosis stream through a secondary microfiltration or ultrafiltration membrane to backwash the primary microfiltration or

Serial No.: 10/599,350 - 6 - Art Unit: 1797

ultrafiltration unit.

- 28. (Currently Amended) The system according to claim 25 further including comprising one or any combination of ports for the introduction of chemical agents, irradiation means, ultrasonic generators, vortexing devices, heating elements, electroprecipitators and magnets.
- 29. (Currently Amended) The system according to claim 28 wherein the chemical agents are selected from the group consisting of chlorination agents, fluorination agents, ozonation agents, disinfecting agents, scale control treatment agents, water softening agents, peroxide, sulfite/bisulfite, and combinations thereof.
- 30. (Currently Amended) The system according to claim 25 for purifying impure water contaminated with a filterable impurity and a dissolved impurity <u>further</u> comprising:

 a primary microfiltration or ultrafiltration unit to remove the filterable impurity;

 a reverse osmosis unit to produce a potable water stream and a residual reverse osmosis stream;

said reverse osmosis unit in downstream fluid communication from said primary microfiltration or ultrafiltration unit;

a controllable fluid pathway to transfer impure filtered water with a dissolved impurity from the primary microfiltration or ultrafiltration unit to the reverse osmosis unit; and

a conduit to transfer a residual reverse osmosis stream from the reverse osmosis unit to backwash the primary microfiltration or ultrafiltration unit via a secondary microfiltration or ultrafiltration unit.

- 31. (Currently Amended) The system according to claim [[25]]30 wherein the secondary microfiltration or ultrafiltration unit is a backwashable or disposable cartridge microfiltration or ultrafiltration system.
- 32. (Currently Amended) The system according to claim [[25]]30 wherein the secondary microfiltration or ultrafiltration unit comprises multiple stages of filtration.

Serial No.: 10/599,350 - 7 - Art Unit: 1797

33. (Previously presented) The system according to claim 32 wherein the multiple stages of filtration include a first filtration through a coarse filter prior to filtration through a membrane filter.

34. (Previously presented) The system according to claim 25 wherein the residual reverse osmosis stream is in controllable fluid communication with coarse backwashable filters such as single or multimedia filters, disc filters, diatomaceous earth filters, membrane filters, strainers, or screens.